

20
25



CATÁLOGO

ESPECIALISTAS EN
IMPLANTES ORTOPEDICOS

Instrumentación



M- 002
No. 3



M- 004
No. 4



M- 006
No. 3R



M- 008
No. 3RG



M- 010
No. 7K



M- 012
No. 7

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx





Solz Aerola Marker

M- 10000 32mm
M- 10002 38mm
M- 10004 40mm
M- 10006 42mm



Freeman Aerola Marker
Double End

M- 10008 38/42mm
M- 10010 42/45mm



Freeman Aerola
Marker

M- 10012 32mm
M- 10014 34mm
M- 10016 36mm
M- 10018 38mm
M- 10020 40mm
M- 10022 42mm
M- 10024 45mm
M- 10026 50mm



Grossman Aerola marker
Four sizes in One

M- 10030 40/44/48/50mm



McKissock Keyhole

M- 10034 38mm
M- 10036 42mm
M- 10038 45mm

Instrumentación



M- 10044

Precision Caliper 10cm



M- 10046

Jameson Caliper 10cm




M- 10050

Thrope Caliper 11cm, 80mm



M- 10052

Castroviejo Caliper, 9cm,
40mm



M- 10054

S/ steel Ruler 12"

M- 10056

S/ steel Ruler 6"

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



M- 016
Tiersch 20cm



M- 018
Schink 30cm



M- 020
Humby 31cm



M- 022
Watson 31cm



M- 024
Silver 19cm



M- 026
Schink Plate



M- 028
Disposable Blade

Instrumentación

Standard

Size	Straight	Curved
11.5 cm	M- 030	M- 044
14 cm	M- 032	M- 046
15 cm	M- 034	M- 048
16 cm	M- 036	M- 050
18 cm	M- 038	M- 052
20 cm	M- 040	M- 054

TC

Size	Straight	Curved
11.5cm	M- 062	M- 074
14 cm	M- 064	M- 076
15cm	M- 066	M- 078
16cm	M- 068	M- 080
18 cm	M- 070	M- 082
20cm	M- 072	M- 084

SUPER CUT TC

Size	Straight	Curved
11.5 cm	M- 096	M- 108
14 cm	M- 098	M- 110
15 cm	M- 100	M- 112
16 cm	M- 102	M- 114
18 cm	M- 104	M- 116
20 cm	M- 106	M- 118

Supercut

Size	Straight	Curved
11.5 cm	M- 128	M- 138
14 cm	M- 130	M- 140
16 cm	M- 132	M- 142
18 cm	M- 134	M- 144
20 cm	M- 136	M- 146



Instrumentación

Standard

Size	Straight	Curved
11.5 cm	M- 284	M- 296
14 cm	M- 286	M- 298
15 cm	M- 288	M- 300
16 cm	M- 290	M- 302
18 cm	M- 292	M- 304
20 cm	M- 294	M- 306

TC

Size	Straight	Curved
11.5 cm	M- 316	M- 328
14 cm	M- 318	M- 330
15 cm	M- 320	M- 332
16 cm	M- 322	M- 334
18 cm	M- 324	M- 336
20 cm	M- 326	M- 338

SUPER CUT TC

Size	Straight	Curved
11.5 cm	M- 348	M- 360
14 cm	M- 350	M- 362
15 cm	M- 352	M- 364
16 cm	M- 354	M- 366
18 cm	M- 356	M- 368
20 cm	M- 358	M- 370

Supercut

Size	Straight	Curved
11.5 cm	M- 380	M- 392
14 cm	M- 382	M- 394
15 cm	M- 384	M- 396
16 cm	M- 386	M- 398
18 cm	M- 388	M- 400
20 cm	M- 390	M- 402





Supercut

Size	Straight	Curved
14 cm	M- 496	M- 506
15 cm	M- 498	M- 508
16 cm	M- 500	M- 510
18 cm	M- 502	M- 512
20 cm	M- 504	M- 514

Instrumentación



Standard

Size	Straight	Curved
15 cm	M- 524	M- 530
16 cm	M- 526	M- 532
18 cm	M- 528	M- 534

TC

Size	Straight	Curved
15 cm	M- 544	M- 550
16 cm	M- 546	M- 552
18 cm	M- 548	M- 554



SUPER
CUT

TC

Size	Straight	Curved
15 cm	M- 556	M- 562
16 cm	M- 558	M- 564
18 cm	M- 560	M- 566



Supercut

Size	Straight	Curved
15 cm	M- 576	M- 582
16 cm	M- 578	M- 584
18 cm	M- 580	M- 586



Instrumentación

STANDARD



Standard

Size	Straight	Curved
15 cm	M- 596	M- 600
16 cm	M- 598	M- 602

TC

Size	Straight	Curved
15 cm	M- 604	M- 608
16 cm	M- 606	M- 610

SUPER
CUT

TC

Size	Straight	Curved
15 cm	M- 612	M- 616
16 cm	M- 614	M- 618

Supercut

Size	Straight	Curved
15 cm	M- 628	M- 632
16 cm	M- 630	M- 634



Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
10.5 cm	M- 644	M- 648
11.5 cm	M- 646	M- 650

TC

Size	Straight	Curved
10.5 cm	M- 660	M- 664
11.5 cm	M- 662	M- 666



SUPER CUT TC

Size	Straight	Curved
10.5 cm	M- 676	M- 680
11.5 cm	M- 678	M- 682

Supercut

Size	Straight	Curved
10.5 cm	M- 692	M- 696
11.5 cm	M- 694	M- 698

Instrumentación



Standard

Size	Straight	Curved
14 cm	M- 708	M- 718
15 cm	M- 710	M- 720
18 cm	M- 712	M- 722
20 cm	M- 714	M- 724
23 cm	M- 716	M- 726

TC

Size	Straight	Curved
14 cm	M- 736	M- 746
15 cm	M- 738	M- 748
18 cm	M- 740	M- 750
20 cm	M- 742	M- 752
23 cm	M- 744	M- 754

SUPERCUT

TC

Size	Straight	Curved
14 cm	M- 764	M- 774
15 cm	M- 766	M- 776
18 cm	M- 768	M- 778
20 cm	M- 770	M- 780
23 cm	M- 772	M- 790

Supercut

Size	Straight	Curved
14 cm	M- 800	M- 810
15 cm	M- 802	M- 812
18 cm	M- 804	M- 814
20 cm	M- 806	M- 816
23 cm	M- 808	M- 818

Tel. 81 1604 3651
 ventas@canufix.mx
 canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
14 cm	M- 828	M- 838
15 cm	M- 830	M- 840
18 cm	M- 832	M- 842
20 cm	M- 834	M- 844
23 cm	M- 836	M- 846

TC

Size	Straight	Curved
14 cm	M- 856	M- 866
15 cm	M- 858	M- 868
18 cm	M- 860	M- 870
20 cm	M- 862	M- 872
23 cm	M- 864	M- 874

SUPER CUT TC

Size	Straight	Curved
14 cm	M- 884	M- 894
15 cm	M- 886	M- 896
18 cm	M- 888	M- 898
20 cm	M- 890	M- 900
23 cm	M- 892	M- 902

Supercut

Size	Straight	Curved
14 cm	M- 912	M- 922
15 cm	M- 914	M- 924
18 cm	M- 916	M- 926
20 cm	M- 918	M- 928
23 cm	M- 920	M- 930

Instrumentación



Standard

Size	Straight	Curved
11.5 cm	M- 1218	M- 1220
14.5 cm	M- 1224	M- 1226
15 cm	M- 1228	M- 1230
16 cm	M- 1236	M- 1238
18 cm	M- 1242	M- 1244
20 cm	M- 1248	M- 1250

TC

Size	Straight	Curved
11.5 cm	M- 1260	M- 1262
14.5 cm	M- 1266	M- 1268
15 cm	M- 1272	M- 1274
16 cm	M- 1278	M- 1280
18 cm	M- 1286	M- 1288
20 cm	M- 1292	M- 1294

SUPERCUT TC

Size	Straight	Curved
11.5 cm	M- 1298	M- 1300
14.5 cm	M- 1302	M- 1304
15 cm	M- 1306	M- 1308
16 cm	M- 1310	M- 1312
18 cm	M- 1316	M- 1318
20 cm	M- 1322	M- 1324

Supercut

Size	Straight	Curved
11.5 cm	M- 1328	M- 1330
14.5 cm	M- 1334	M- 1336
15 cm	M- 1340	M- 1342
16 cm	M- 1346	M- 1348
18 cm	M- 1352	M- 1356
20 cm	M- 1360	M- 1362

Instrumentación



Standard

Size	Straight	Curved
11.5 cm	M- 940	M- 942

TC

Size	Straight	Curved
11.5 cm	M- 944	M- 946



SUPER
CUT TC

Size	Straight	Curved
11.5 cm	M- 948	M- 950


Supercut

Size	Straight	Curved
11.5 cm	M- 952	M- 954

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
15.5 cm	M- 964	M- 968
18 cm	M- 966	M- 970



TC

Size	Straight	Curved
15.5 cm	M- 980	M- 984
18 cm	M- 982	M- 986



SUPERCUT TC


Size	Straight	Curved
15.5 cm	M- 988	M- 992
18 cm	M- 990	M- 994

Supercut

Size	Straight	Curved
15.5 cm	M- 996	M- 1000
18 cm	M- 998	M- 1002



Instrumentación



Standard

Size	Straight	Curved
14.5 cm	M- 1012	M- 1014

TC

Size	Straight	Curved
14.5 cm	M- 1016	M- 1018



SUPER
CUT TC

Size	Straight	Curved
14.5 cm	M- 1020	M- 1022


Supercut

Size	Straight	Curved
14.5 cm	M- 1024	M- 1026

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
14 cm	M- 1036	M- 1038

TC

Size	Straight	Curved
14 cm	M- 1040	M- 1042



SUPER CUT TC

Size	Straight	Curved
14 cm	M- 1044	M- 1046

Supercut

Size	Straight	Curved
14 cm	M- 1048	M- 1050

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación

STANDARD DESIGN



Standard

Size	Straight	Curved
16 cm	M- 1060	M- 1062

TC

Size	Straight	Curved
16 cm	M- 1072	M- 1074



SUPER CUT TC

Size	Straight	Curved
16 cm	M- 1084	M- 1086

Supercut

Size	Straight	Curved
16 cm	M- 1096	M- 1098

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación

PHOTO BY: CANUFIX.COM.MX



Standard

Size	Straight	Curved
11.5 cm	M- 1108	M- 1112
13 cm	M- 1110	M- 1114

TC

Size	Straight	Curved
11.5 cm	M- 1122	M- 1126
13 cm	M- 1124	M- 1128



SUPER CUT TC

Size	Straight	Curved
11.5 cm	M- 1136	M- 1140
13 cm	M- 1138	M- 1142

Supercut

Size	Straight	Curved
11.5 cm	M- 1152	M- 1156
13 cm	M- 1154	M- 1158



Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación

www.canufix.com.mx

Standard

Size	Straight	Curved
9.5 cm	M- 1436	M- 1438



TC

Size	Straight	Curved
9.5 cm	M- 1442	M- 1444



SUPER
CUT

TC

Size	Straight	Curved
9.5 cm	M- 1446	M- 1448

Supercut

Size	Straight	Curved
9.5 cm	M- 1450	M- 1452



Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
14.5 cm	M- 1170	M- 1172

TC

Size	Straight	Curved
14.5 cm	M- 1182	M- 1184



SUPER
CUT

TC

Size	Straight	Curved
14.5 cm	M- 1194	M- 1196



Supercut

Size	Straight	Curved
14.5 cm	M- 1206	M- 1208



Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación

PRODUCTO DE CALIDAD PARA PROFESIONALES



Standard

Size	Straight	Curved
11.5 cm	M- 1368	M- 1370

TC

Size	Straight	Curved
11.5 cm	M- 1374	M- 1376



SUPER CUT TC

Size	Straight	Curved
11.5 cm	M- 1380	M- 1382


Supercut

Size	Straight	Curved
11.5 cm	M- 1384	M- 1386

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
12 cm	M- 1390	M- 1392
15 cm	M- 1396	M- 1398

TC

Size	Straight	Curved
12 cm	M- 1400	M- 1402
15 cm	M- 1406	M- 1408



SUPER
CUT


TC

Size	Straight	Curved
12 cm	M- 1412	M- 1414
15 cm	M- 1418	M- 1420

Supercut

Size	Straight	Curved
12 cm	M- 1424	M- 1426
15 cm	M- 1430	M- 1432

Instrumentación



Standard

Size	Straight	Curved
12 cm	M- 1390	M- 1392
15 cm	M- 1396	M- 1398

TC

Size	Straight	Curved
12 cm	M- 1400	M- 1402
15 cm	M- 1406	M- 1408



SUPER CUT TC

Size	Straight	Curved
12 cm	M- 1412	M- 1414
15 cm	M- 1418	M- 1420

Supercut

Size	Straight	Curved
12 cm	M- 1424	M- 1426
15 cm	M- 1430	M- 1432

Instrumentación



Standard

Size	Straight	Curved
18 cm	M- 1504	M- 1506

TC

Size	Straight	Curved
18 cm	M- 1510	M- 1512



**SUPER
CUT**

TC

Size	Straight	Curved
18 cm	M- 1516	M- 1518

Supercut

Size	Straight	Curved
18 cm	M- 1520	M- 1522

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
14 cm	M- 1532	M- 1534

TC

Size	Straight	Curved
14 cm	M- 1538	M- 1540



SUPER
CUT TC

Size	Straight	Curved
14 cm	M- 1544	M- 1546

Supercut

Size	Straight	Curved
14 cm	M- 1550	M- 1552

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
14.5 cm	M- 1560	M- 1560
18 cm	M- 1564	M- 1566

TC

Size	Straight	Curved
14.5 cm	M- 1570	M- 1572
18 cm	M- 1576	M- 1578



SUPER
CUT TC

Size	Straight	Curved
14.5 cm	M- 1582	M- 1584
18 cm	M- 1588	M- 1590

Supercut

Size	Straight	Curved
14.5 cm	M- 1594	M- 1596
18 cm	M- 1598	M- 1600

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
13 cm	M- 1606	M- 1608

TC

Size	Straight	Curved
13 cm	M- 1614	M- 1616



SUPERCUT TC

Size	Straight	Curved
13 cm	M- 1622	M- 1624

Supercut

Size	Straight	Curved
13 cm	M- 1628	M- 1630

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
13 cm	M- 1636	M- 1638

TC

Size	Straight	Curved
13 cm	M- 1642	M- 1644



SUPER
CUT TC

Size	Straight	Curved
13 cm	M- 1648	M- 1650

Supercut

Size	Straight	Curved
13 cm	M- 1654	M- 1656



Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
18 cm	M- 1660	M- 1662

TC

Size	Straight	Curved
18 cm	M- 1666	M- 1668



SUPER
CUT TC

Size	Straight	Curved
18 cm	M- 1674	M- 1676

Supercut

Size	Straight	Curved
18 cm	M- 1680	M- 1682



Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx



Instrumentación



Standard

Size	Straight	Curved
13.5 cm	M- 1686	M- 1688



TC

Size	Straight	Curved
13.5 cm	M- 1690	M- 1692



SUPERCUT TC

Size	Straight	Curved
13.5 cm	M- 1694	M- 1696

Supercut

Size	Straight	Curved
13.5 cm	M- 1698	M- 1700

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx





TC

Instrumentación



HARTMANN

Size	Straight	Curved
10 cm	M- 1780	M- 1782



MICRO
MOSQUITO

Size	Straight	Curved
10 cm	M- 1786	M- 1788
12 cm	M- 1792	M- 1794



Halsted Mosquito

Size	Straight	Curved
12.5 cm	M- 1798	M- 1800



Crile

Size	Straight	Curved
14 cm	M- 1806	M- 1808
16 cm	M- 1812	M- 1814

Instrumentación



Allis tissue

Size	Straight
15 cm	M- 1820
18 cm	M- 1824



Babcock

Size	Straight
16 cm	M- 1830
18 cm	M- 1836
20 cm	M- 1838



BACKHAUS

Size	Curved
9 cm	M- 1846
11 cm	M- 1848
13 cm	M- 1850



Baby Mixer

Size	Curved
14 cm	M- 1860
18 cm	M- 1862

Instrumentación

MEDICTA
Instruments



D'Assumpcao Face
Lift Forceps

Size	Straight
16 cm	M- 1870



Pitanguy
Forceps

Size	Straight
15 cm	M- 1876
26 cm	M- 1878



Marten Flap
Forceps

Size	Straight
15 cm	M- 1884



Pitanguy Flap
Grasping
Forceps

Size	Straight
15 cm	M- 1886

Instrumentación




Size	TC	Standard
12 cm	M- 1894	M- 1896



Size	TC	Standard
13 cm	M- 1900	M- 1902



Size	TC	Standard
14 cm	M- 1908	M- 1910



Size	TC	Standard
13 cm	M- 1912	M- 1914

Instrumentación

Crile Wood




Size	TC	Standard
15 cm	M- 1918	M- 1920
18 cm	M- 1924	M- 1926
20 cm	M- 1930	M- 1932
22 cm	M- 1936	M- 1938

Mayo Hegar



Size	TC	Standard
14 cm	M- 1944	M- 1946
16 cm	M- 1950	M- 1952
18 cm	M- 1956	M- 1958
20 cm	M- 1962	M- 1964
24 cm	M- 1968	M- 1970

Gillies



Size	TC	Standard
16 cm	M- 1974	M- 1976

Olsen Hegar



Size	TC	Standard
14 cm	M- 1980	M- 1982
18 cm	M- 1986	M- 1988

Instrumentación



Micro Vascular



TC

Size	Smooth	Serrated
14 cm	M- 1992	M- 1994
18 cm	M- 1996	M- 1998
20 cm	M- 2000	M- 2002

Ryder



TC

Size	TC
13 cm	M- 2006
15 cm	M- 2008
18 cm	M- 2010
20 cm	M- 2012
24 cm	M- 2014

Sarot




TC



Standard

Size	TC	Standard
18 cm	M- 2016	M- 2018


Nievert



TC

Size	Straight
13 cm	M- 2020


Instrumentación



Size	TC	Standard
14 cm	M- 2024	M- 2026
18 cm	M- 2028	M- 2030
20 cm	M- 2032	M- 2034



Size	TC	Standard
16 cm	M - 2038	M- 2040
18 cm	M- 2044	M- 2046
20 cm	M- 2050	M- 2052



Size	TC
18 cm	M- 2056
20 cm	M- 2058
24 cm	M- 2060



Size	Straight	Curved
14 cm	M- 2064	M- 2066

Instrumentación



Micro Scissor 15cm

Standard



Micro Blades
Str, 15cm

M- 1740



Micro Blades
Cvd, 15cm

M- 1742

TC



Micro Blades
Str, 15cm

M- 1750



Micro Blades
Cvd, 15cm

M- 1752



Micro Needle Holder 15cm

Standard

Micro Tip
Str, 15cm

M- 1760

Micro Blades
Cvd, 15cm

M- 1762

TC

Micro Blades
Str, 15cm

M- 1766

Micro Blades
Cvd, 15cm

M- 1768

Instrumentación



Adson

Size	Standard	TC
12 cm	M- 2070	M- 2072
15 cm	M- 2076	M- 2078

Adson
With teeth



Size	Standard	TC
10 cm	M- 2080	M- 2082
10 cm	M- 2084	M- 2086



Micro Adson



Size	W/O Teeth	With teeth
12 cm	M- 2088	M- 2090

Adson Brown
7x7



Size	Standard	TC
12 cm	M- 2092	M- 2094

Instrumentación



Gillies

Size	W/O Teeth	W/ teeth
15 cm	M- 2098	M- 3000

TC Gillies



Size	W/O Teeth	W/ Teeth
15 cm	M- 3002	M- 3004

McIndoe



Size	W/O Teeth	With teeth
15 cm	M- 3006	M- 3008

TC McIndoe



Size	W/O Teeth	W/ Teeth
15 cm	M- 3010	M- 3012

Instrumentación

Potts
SMith



Size	TC
15 cm	M- 3014
18 cm	M- 3016

Rees
Bayonet



Size	TC
16 cm	M- 3018

Brown
adson
angula
r



Size	TC
12 cm	M- 3020

Grazer Blepharoplasty
Forceps



Size	4x5
12 cm	M- 3022

Debaquey



Size	1.5mm tip	2.0mm tip
16 cm	M- 3024	M- 3026

Castrovijo
Suture Forceps



W/O Teeth	W Teeth
M- 3028	M- 3030

Instrumentación



GILLIES SKIN
HOOK 18cm
3mm

M- 6060

KLIENERT KUT
Skin Hook 16cm
Sharp

M- 6062

Joseph Hook
Sharp Prongs

M- 6066	2mm
M- 6068	5mm
M- 6070	7mm
M- 6072	10mm

Rollet Retractor 4
Prongs Sharp 14cm

M- 6080

Senn-Miller
16cm

M- 6084	Sharp
M- 6086	Blunt



Freeman rake
Retractor 10cm
sharp prongs

M- 6090



Kilner Double Nasal
Hook

M- 6092



MARTINEZ KILNER
Retractor 11cm
10mm wide

M- 6094

Instrumentación



Adson hook 20cm
Sharp

M- 6096



Bergman Hook
Sharp 14cm

M- 6098



Gillies Dura
Skin Hook

M- 7000	3mm
M- 7002	8mm



MEYERDING
RETRACTOR 18CM

M- 7010




Humby Swivel
Hook Sharp

M- 7012



Freeman rake
Retractor 10cm
sharp prongs

M- 7014



MARTINEZ KILNR
Retractor 11cm
10mm wide

M- 7016

Instrumentación



Adson hook 20cm
Sharp

M- 6096



Bergman Hook
Sharp 14cm

M- 6098



Gillies Dura
Skin Hook

M- 7000	3mm
M- 7002	8mm



MEYERDING
RETRACTOR 18CM

M- 7010




Humby Swivel
Hook Sharp

M- 7012



Freeman rake
Retractor 10cm
sharp prongs

M- 7014



MARTINEZ KILNR
Retractor 11cm
10mm wide

M- 7016

Instrumentación



M- 3036

Killian Claus 16cm
5mm



M- 3038

Killian 16cm
5mm



Cottle 15cm

4mm 7mm 12mm



M- 3040



M-3042



M- 3044

Cottle 16cm,
6mm

M- 3046





Cottle 16cm,
4mm

M- 3048




Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx








10mm




M- 3068

12mm




M- 3070

14mm



M- 3072

16mm



M- 3074

Cinelli 18cm



10mm



M- 3076

12mm



M- 3078


14mm




M- 3080

Rubin 18cm


Instrumentación



M- 3082
Straight




M- 3084
Right




M- 3086
Left

Silver 18cm



M- 3088
Right



M- 3090
Left

Neivert Anderson
20cm



Neivert 20cm

M- 3092

Instrumentación

Instrumentación



Cottle 18cm
M- 4026



Joseph 16cm
4mm
M- 4028



Hale 16cm
M- 4030



Ballenger-Hajek
18cm
M- 4032



Freer Blunt
18cm
M- 4034



Freer Blunt
18cm
M- 4036



Cottle 18cm

M- 4038



Cottle 20cm

M- 4040



Masing 20cm

M- 4042

Instrumentación



Obwegeser
17.5cm
M- 4008



Obwegeser
17.5cm
M- 4010
7mm
M- 4012
10mm



Obwegeser
20cm
M- 4014



5mm
M- 4016

Obwegeser
20cm



8mm
M- 4018



10mm
M- 4020



Obwegeser
18cm
M- 4022



M- 4024

Instrumentación



M- 5014
Converse button
end Knife 16cm Curved



M- 5016
Cottle Septum
Knife 14cm



M- 5018
Cottle Septum
Knife 14cm



M- 5020
Joseph Angled
button end Knife 17.5cm




M- 5022
Joseph button
end Knife 15cm




Killian Nassal Speculum

35mm
M- 5036




55mm
M- 5038



65mm
M- 5040




90mm
M- 5042




Cottle Nasal Speculum

20mm
M- 5044




30mm
M- 5046



40mm
M- 5048



50mm
M- 5050



Instrumentación



Joseph Nasal
Saw 17cm Angled Left

M- 5004



Joseph Nasal
Saw 17cm Angled Left

M- 5006



M- 5008

Joseph Nasal Saw
Straight 19cm



M- 5010


Joseph Nasal Saw
Bayonet Left 19cm



M- 5012

Joseph Nasal Saw
Bayonet Right 19cm

Instrumentación



Instrumentación



M- 5090

Aufricht
Fiberoptic Retractor
45mm Blade 16cm



M- 5092

Aufricht Retractor
45mm Blade 16cm



M- 5094

Freeman Flap Retractor
Fiber Optic, 8" 13mm Wide



M- 5096

Deaver Retractor Fiber Optic

Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx




Instrumentación



Marx breast retractor,
27cm: 30 x 125mm

M- 7060



Emory Endoscopic Retractor 1x7" Blade for
10mm Scope

M- 7050



Double End Breast Retractor
24cm 38MM X 70MM

M- 7080



Abdominal Retractor Saldanha
for lipoabdominoplasty 37cm

M- 7070

Instrumentación



Ferreira Fiber Optic Retractor

Length	Width	Code
90mm	24mm	M- 5052
90mm	30mm	M- 5054
150mm	36mm	M- 5056
190mm	36mm	M- 5058



Tebbets Fiber Optic Retractor

Length	Width	Code
90mm	24mm	M- 5070
90mm	30mm	M- 5072
150mm	36mm	M- 5074
190mm	36mm	M- 5076



Fiber Optic Cable 2.25 meter with Storz Connector


M- 10070



BIGGS MAMMAPlasty
Retractor

M- 6000

Without Fiber Optic
30mm



M- 6002

With FiberOptic



M- 6020

Ferreira Retractor
Fiber Optic
108mm length,
22mm Wide Blade



Biggs Face Lift Retractors 23cm

M- 7040

Fiber optic

M- 7042

Without
Fiber optic

Instrumentación



Right M- 4072

AGRIS-DINGMAN
BREAST
DISSECTOR SET
36cm



Left M- 4074

M- 40
Breast dissector
angled 33cm



M- 4076
Breast dissector
Spatulated 33cm



M- 4078
SILVERSTEIN Breast Dis-
sector blunt 35 cm



M- 4080
MACCOLLUM DINGMAN
41cm



M- 4044

Arcus Marginalis
Dissector 24cm
S-Shaped 8mm wide



M- 4046

Flap Dissector 22.5cm
Curved 6mm wide



M- 4048

Frontoglabellar Dissector
22.5cm S-Shaped 7mm
wide



M- 4050

Frontotemporal
Dissector 22.5cm
Curved 10mm wide



M- 4052

Frontotemporal
Dissector 22.5cm
Straight 10mm wide



M- 4054

Nerve Hook - Curved
Left - 24cm



M- 4056

Nerve Hook - Curved
Right - 24cm



Instrumentación

M- 4058

Nerve Retractor -
Curved Left 17cm



M- 4060

Nerve Retractor -
Curved Right 17cm



M- 4062

Periosteal Dissector
25cm Curved 9mm wide



M- 4064

Periosteal
Dissector/Elevator S-
Shaped 9mm wide



M- 4066

Scalp Elevator 25cm
Curved 12mm wide



M- 4068

Temporal Line Dissector
23.5cm Straight 10mm
wide



M- 4070

Zygomatic Arch Elevator
22.5cm Straight 5mm
wide



Instrumentación



Collin Mallet 20cm
30mm - 220 g
M- 7090



Hajek Mallet 21.5cm
27mm - 140 g
M- 7092



Lucae Mallet 21.5cm
19mm - 230 g
M- 7094



Mead Mallet 18cm
26mm - 320 g
M- 7096



Plastic Facing Mallet
18cm 26mm - 320 g
M- 7098




Fiber Mallet 25cm
35mm - 150 g
M- 8000

Instrumentación



M- 5024
Asch Septum
Straightening
Forceps 22cm



M- 5026 **M- 5028** **M- 5030**
Cottle Walsham 23cm



M- 5032
Jansen Middleton
Septum Forceps
Double Action 19cm



M- 5034
TC RUBIN
morselizer
18.5cm

Instrumentación



Cartilage Crusher,
65x30mm

M- 8010



Cartilage Crusher

M- 8012




Cartilage Crusher Serrated

M- 8014



Sheen Cartilage
Crusher Morselizer

M- 8016



Sheen Grid
10cm x 7cm

M- 8014



Teflon Cartilage Cutting
Block 85x55x10mm

M- 8020

Instrumentación

M- 6026

Bipolar Forceps
12 cm . 1mm tip



M- 6028

Bipolar Forceps
15 cm . 1.5mm tip



M- 8050

TC Crow Coagulating
Dressing Forceps 23cm



M- 6030

Bipolar Cable
3m cable length



M- 6040

Desmaress Lid Retractor
12 insulated



M- 6048

US Army Retractor
Insulated



M- 8060

Jaeger Lid Plate Insulated 11cm



Tel. 81 1604 3651
ventas@canufix.mx
canufix.com.mx





COTIZA CON NOSOTROS

Bahamas 113, Vista Hermosa, 64620 Monterrey, N.L.

Teléfonos en Nuevo León 8119337618 - 8116043651 - 8128592883

Teléfonos en Tamaulipas 8994234678 - 8672814558

ventas@canufix.mx

<https://www.canufix.com.mx/>